

SILKOLENE PRO CHAIN

Fully synthetic racing chain lubricant

Description

A clear, clean, thin film, synthetic chain lubricant designed for maximum fling off resistance when used for racing. The fast drying formulation provides optimum between race re-lubrication capabilities. Silkolene Pro Chain incorporates a micronized laminar solid lubricant which combined with advanced synthetics gives outstanding boundary lubrication leading to lower friction and reduced wear.

Suitable for all chains including "O", "X" and Z ring types.

Application

- Ensure chain is clean and dry prior to applying SILKOLENE PRO CHAIN Lube
- Fuchs Silkolene strongly recommends the use of SILKOLENE BRAKE AND CHAIN CLEANER prior to use
- Shake can well before application
- Apply sparingly to the whole length of the inside of a clean warm chain
- Leave for (time period) before use
- Wipe away excess
- Following application, invert the can and spray for a few seconds to avoid clogging the nozzle

Advantages / Benefits

- Good antiwear
- Good resistance to high speed fling off
- Resistant to water wash off
- Penetrates and evaporates quickly with excellent film forming properties
- Thin film formation resists dirt adhesion
- Good corrosion protection

In addition to the advantages / benefits above SILKOLENE PRO CHAIN also provides:

- Provides a thinner but stronger oil film increasing wear protection but also reducing frictional losses
- Provides excellent shock loading protection
- Works at high temperature / high load conditions experienced in racing conditions
- Excellent corrosion protect
- Penetrates more rapidly
- Between race re-lubrication